



Dental care for older people

Q What if I need dentures?

A Dentures replace lost or missing teeth so that you can enjoy a healthy diet and smile with confidence. For more information on dentures and how to take care of them, see our leaflet 'Tell me about dentures'.
[Back to top](#)

Q Am I certain to lose my teeth?

A No. With the right home care and help from your dentist and hygienist, it is possible to keep your teeth for life. Gum disease and tooth decay can be prevented whatever your age.
[Back to top](#)

Q What particular problems may be involved?

A Your gums may recede (shrink back) as you get older, and your teeth may become a little more sensitive as a result. Your dentist or hygienist will be able to show you the best brushing methods to keep any gum problems under control, and may suggest a mouthwash to deal with the sensitivity.

Normal cleaning may become more difficult if you have problems with your hands or arms, or if your eyesight is less than perfect. Again, you can get help and advice on the best aids to use. A magnifying mirror and a good light, and brushes with handles that are easy to hold are often helpful.

If you have lost some teeth in the past, and have fixed or removable bridges or dentures, you may have particular cleaning needs and difficulties which your dentist or hygienist can help you with.

Some people take regular medication which makes their mouths dry. Saliva helps to protect teeth against decay, so if you have less saliva than usual ask your dentist for advice. Or you can get special products, including artificial saliva, over the counter in most chemists.

[Back to top](#)

Q Should I expect to have problems with my gums?

A Gum problems are caused by a build up of bacteria called 'plaque', which forms constantly on your teeth and gums. It is important to remove this plaque to avoid gum inflammation. If the plaque is not removed, the gum inflammation will, in time, affect the bone under the gums. This bone supports the tooth roots, so your teeth may gradually become loose.
[Back to top](#)

Q How do I know if I have gum disease?

A As it is often painless, many people may not know that they have gum disease. Some common signs are: gums that bleed when brushed; teeth that are loose; receding gums and bad breath. Not everyone has all these signs. You may only have one.
[Back to top](#)

Q Can I still get tooth decay?

A Yes. The same dental plaque which causes gum inflammation can cause decay, particularly when combined with sugary foods and drinks. There is a particular risk of decay at the gum edge when the gum has receded as the 'neck' of the tooth is not protected by enamel.

[Back to top](#)

Q How can I prevent gum disease and tooth decay?

- A**
- Thoroughly remove plaque from your teeth (and dentures) at least twice a day.
 - Use fluoride toothpaste. There are many special toothpastes on the market, including tartar control and total care toothpastes.
 - You should clean in between your teeth at least once a day using interdental products that suit you.
 - Cut down on how often you have food and drinks containing sugar.
 - Visit your dentist and hygienist regularly.

[Back to top](#)

Q What do I need to clean my teeth properly?

A You need a small-headed, medium –textured toothbrush and a fluoride toothpaste. To help clean between your teeth you could use an interspace brush, tape, woodsticks or floss. People with arthritis may find it difficult to grip a toothbrush handle, but you can get handle adapters. Electric toothbrushes are also ideal for people with limited movement. The handles are thicker and easier to hold and the oscillating head does most of the work. There are many products available, and your dentist or hygienist can help you decide which are best for you.

[Back to top](#)

Q How do I know if I have removed all the plaque?

A Plaque can be sustained with food dye painted on your teeth with a cotton bud, or with special 'disclosing tablets' from the chemist.

This stain is harmless and show any areas of your mouth, which need closer attention. Look particularly where the teeth and gums meet. A further brushing will remove the stained plaque.

[Back to top](#)

Q If I do lose my teeth, how long do I have to wait until I can have my dentures?

A With planning, dentures can be fitted the same day. These dentures will need to be seen and adjusted by the dentist within 6 to 12 months because the gums will alter in shape after your teeth are removed. If you have partial dentures, it is also important to remember to clean your natural teeth as well as your dentures.

[Back to top](#)

Q How long do dentures last?

A Dentures are likely to need replacing every five years, because the shape of the mouth continues to change throughout life. Often changes are slow and dentures wearers become skilful at keeping their dentures in place.

Many people are using ill-fitting and broken dentures, which should have been replaced years ago. Pain or discomfort from ill-fitting dentures can often be eliminated or reduced. It is sensible to keep up your regular dental check ups at the intervals agreed with your dentist. This will make sure that your mouth remains healthy. Many serious conditions can first be detected in the mouth.

[Back to top](#)

Q [Should I keep my old dentures?](#)

A Yes- they can give the dentist valuable information when making a new set of dentures.

[Back to top](#)

Q [Is getting used to dentures difficult?](#)

A Most people manage to adapt well. However, you may experience:

- sore spots. If so, go back to your dentist.
- speech problems. These should settle quickly. If not, go back to your dentist and explain the problem.
- eating problems. You can keep these under control by eating soft foods and cutting food into small pieces until you gain confidence. This may take time.

Certain medical conditions such as a stroke, Parkinson's disease, multiple sclerosis and Alzheimer's disease can cause extra difficulty for people getting used to new dentures, and they may need specialist help. Some people find that using a denture fixative in the early stages gives them extra security.

[Back to top](#)

Q [When should I wear my dentures?](#)

A Your mouth will need a rest from wearing dentures and the dentist is likely to suggest that you leave them out at night. If this is not possible, try to find a few hours at another time when it is more convenient to you. Be extra careful with denture hygiene at all times. Always put your dentures in cold water when they are not in your mouth to prevent warping.

[Back to top](#)

Q [What causes mouth ulcers?](#)

A Ulcers can be caused by broken teeth, poorly fitting dentures or sharp pieces of food. Once the cause is removed, ulcers should heal within 2 weeks. If you notice an ulcer which does not heal, see your dentist promptly. Many serious condition, such as mouth cancer, can be better treated if diagnosed early at a routine check-up.

[Back to top](#)

Q [How do I clean my dentures?](#)

A Clean your dentures over a basin of cold water to avoid damage if they are dropped. Thoroughly clean all surfaces with toothpaste or a denture cleaner and a small toothbrush. Once a day is enough. Soaking alone is not enough as this only loosens debris. It is best to loosen any debris, then soak the dentures in a denture cleaning solution. Finish with a final brush using a toothbrush and toothpaste. If you notice a build up of stain or scale, have you dentures cleaned by your dentist or hygienist.

[Back to top](#)

Q **What if my denture breaks?**

A Broken dentures are repaired free of charge on the NHS. If your denture breaks more than twice in the same place, it is probably because it no longer fits properly and may need to be 're-lined'. In either case, contact a dentist.
[Back to top](#)

Q **Should I use a fixative?**

A For short periods of time or special occasions, when extra confidence is needed, denture fixatives are useful. After use make sure that you remove all traces of fixative from both the denture and your mouth. In the long term, if dentures feel loose it is better to get advice from your dentist.
[Back to top](#)

Q **How much will dentures treatment cost?**

A Costs will vary according to the treatment you need and whether it is carried out under the NHS or not. The dentist should give you an estimate before starting. If you are uncertain what the treatment what the treatment involves, the dentist will be happy to explain it again. You can get a leaflet which explains NHS dental charges and confirms who is entitled to free dental treatment or help towards costs, from the DSS office, your doctor or dentist. If you have any doubt, ask your dentist.
[Back to top](#)

Q **What if somebody is housebound?**

A Many dentists are happy to visit people at home and provide treatment there. There is no extra charge for this service to NHS patients. Ask your dentist for details or contact your local Community Dental Service (through your local health authority) who may be able to help.
[Back to top](#)